



Serial No. To be Assigned  
 Filed: September 2, 2004

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:



1. (original) A silicon-containing copolymer composition, which comprises a silicon-containing copolymer having a number-average molecular weight of 500 to 1,000,000 and containing at least the structural units represented by the following general formulae (I) and (II) and a cross-linking agent:



wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$ ,  $\text{R}^5$  and  $\text{R}^6$  each independently represents an alkyl group, an alkenyl group, a cycloalkyl group, an aryl group, an aralkyl group, an alkylamino group, an alkylsilyl group or an alkoxy group,  $\text{R}^7$  represents a divalent group, and A represents NH or O, with the order of the structural units (I) and (II) being at random, and the molar ratios p and q thereof respectively being an optional number except for zero, and the proportions of Si-O bond and Si-N bond in the copolymer satisfying the following equation:

$$\text{Si-O}/(\text{Si-N} + \text{Si-O}) = 0.01 \text{ to } 0.99.$$


2. (original) The silicon-containing copolymer composition as described in claim 1, wherein the silicon-containing copolymer further contains at least one of the structural units represented by the following general formulae (III) and (IV):





wherein  $\text{R}^8$  and  $\text{R}^9$  each independently represents an alkyl group, an alkenyl group, a cycloalkyl group, an aryl group, an aralkyl group, an alkylamino group, an alkylsilyl group or an alkoxy group, and A represents NH or O, with the order of the structural units (I) to (IV) in the polymer being at random, and the molar ratios thereof, p, q, r and s satisfying the following equation:

$$q/(p+q+r+s) = 0.01 \text{ to } 0.99.$$


3. (currently amended) The silicon-containing copolymer composition as described in claim 1 or 2, wherein the silicon-containing copolymer further contains at least one of the structural units represented by the following general formulae (V), (VI) and (VII):






wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^8$  and  $\text{R}^9$  each independently represents an alkyl group, an alkenyl group, a cycloalkyl group, an aryl group, an aralkyl group, an alkylamino group, an alkylsilyl group or an alkoxy group,  $\text{R}^{10}$  represents a divalent aromatic group, with the order of the structural units (V) to (VII) in the polymer being at random, and t, u and w respectively being an optional number except for zero.

4. (currently amended) The silicon-containing copolymer composition as described in ~~any one of claims~~ claim 1 to 3, wherein ~~the~~  $\text{R}^{10}$  is a divalent aromatic group is selected from the group consisting of an aralkylene group, a naphthylene group or a group represented by the following general formula (A):



wherein  $\text{R}^{11}$  represents a halogen atom or a lower alkyl group, a represents an integer of 0 to 4, and Z represents a direct bond or a group represented by the following general formula (B):



wherein  $R^{12}$  represents a halogen atom or a lower alkyl group,  $b$  represents an integer of 0 to 4, and  $Y$  represents a direct bond or a divalent group.

5. (currently amended) The silicon-containing copolymer composition as described in ~~any one of claims~~ claim 1 to 4, wherein the cross-linking agent is a silicon-containing cross-linking agent.

6. (original) The silicon-containing copolymer composition as described in claim 5, wherein the silicon-containing cross-linking agent is at least one member selected from among tetraisocyanatesilane, triisocyanatesilane, tetraalkoxysilane and trialkoxysilane.




7. (currently amended) The silicon-containing copolymer composition as described in ~~any one of claims~~ claim 1 to 6, which further contains a cross-linking accelerator.

8. (currently amended) The silicon-containing copolymer composition as described in ~~any one of claims~~ claim 1 to 4, wherein the cross-linking agent is a compound capable of generating an acid upon being heated.

9. (original) The silicon-containing copolymer composition as described in claim 8, wherein the compound capable of generating an acid upon being heated is a peroxide having a benzene ring or rings.


10. (original) The silicon-containing copolymer composition as described in claim 9, wherein the peroxide is 3,3',4,4'-tetra(t-butylperoxycarbonyl)benzophenone or the derivative thereof.

11. (currently amended) A cross-linked, silicon-containing copolymer formed by heating the silicon-containing copolymer composition described in ~~any one of claims claim 1 to 10~~.
12. (original) The cross-linked, silicon-containing copolymer as described in claim 11, wherein the cross-linked silicon-containing copolymer is solvent-soluble.
13. (currently amended) A process for curing a silicon-containing copolymer, which comprises heating the silicon-containing copolymer composition described in ~~any one of claims claim 1 to 10~~ at a temperature of 150 °C or higher ~~than that~~.
14. (original) A process for curing the solvent-soluble, cross-linked, silicon-containing copolymer described in claim 12, which comprises coating a solvent solution of the solvent-soluble, cross-linked, silicon-containing copolymer on a substrate, and heating at a temperature of 150 °C or higher ~~than that~~.
15. (currently amended) A film or coat formed by heat-curing according to the process described in claim 13 ~~or 14~~.
16. (currently amended) A plasma display which has the cross-linked cured product of the silicon-containing copolymer composition described in ~~any one of claims claim 1 to 10~~ as a dielectric layer, a partition (rib layer) and/or a vacuum sealer.
17. (currently amended) A liquid crystal display which has the cross-linked cured product of the silicon-containing copolymer composition described in ~~any one of claims claim 1 to 10~~ as an interlayer dielectric film and/or an oriented film.
18. (new) The silicon-containing copolymer composition as described in claim 2, wherein the silicon-containing copolymer further contains at least one of the structural units represented by the following general formulae (V), (VI) and (VII):




wherein  $R^1$ ,  $R^2$ ,  $R^8$  and  $R^9$  each independently represents an alkyl group, an alkenyl group, a cycloalkyl group, an aryl group, an aralkyl group, an alkylamino group, an alkylsilyl group or an alkoxy group,  $R^{10}$  represents a divalent aromatic group, with the order of the structural units (V) to (VII) in the polymer being at random, and t, u and w respectively being an optional number except for zero.

19. (new) The silicon-containing copolymer composition as described in claim 2, wherein  $R^{10}$  is a divalent aromatic group selected from the group consisting of an aralkylene group, a naphthylene group or a group represented by the following general formula (A):




wherein  $R^{11}$  represents a halogen atom or a lower alkyl group, a represents an integer of 0 to 4, and Z represents a direct bond or a group represented by the following general formula (B):

Serial No. To be Assigned  
Filed: September 2, 2004




wherein  $R^{12}$  represents a halogen atom or a lower alkyl group,  $b$  represents an integer of 0 to 4, and  $Y$  represents a direct bond or a divalent group.

20. (new) The silicon-containing copolymer composition as described in claim 3, wherein  $R^{10}$  is a divalent aromatic group selected from the group consisting of an aralkylene group, a naphthylene group or a group represented by the following general formula (A):



wherein  $R^{11}$  represents a halogen atom or a lower alkyl group,  $a$  represents an integer of 0 to 4, and  $Z$  represents a direct bond or a group represented by the following general formula (B):



wherein  $R^{12}$  represents a halogen atom or a lower alkyl group,  $b$  represents an integer of 0 to 4, and  $Y$  represents a direct bond or a divalent group.